


ATAS

TECHO TILE



TECHO TILE

The Look of Tile



The Advantages of Metal

The advantage of metal over other roof materials, such as clay, concrete, wood, or other compounds are numerous. Metal does not break, chip, mildew, warp, rot, grow fungus, or absorb moisture. Metal is relatively lightweight, walkable, non-flammable, and has a long life expectancy.

Techo Tile is a metal panel with a deep configuration in the form of an "S" or Spanish tile. The Techo Tile panel is installed vertically up the slope of the roof. The pitch

of the roof is recommended to be at least 3 in 12. Techo Tile is installed with metal fasteners long enough to penetrate solid substrate. The panel can be installed over existing roofing materials; "no tearoff's" required (subject to local codes). Consequently, no disposal problems to worry about. Like all other metal products, Techo Tile is recyclable. A Techo Tile roof will add value to the structure and keep its attractive appearance for many years.



Techo Tile Facts






- Long Lasting KYNAR 500[®] PVDF/ HYLAR 5000[®] PVDF Coating
- Thirty Year Product Warranty
- Thirty Standard Color Selections
- Traditional (Embossed) Appearance or Glazed (Smooth) Tile Look
- Accessories Available from ATAS
- Flat Sheet and Coil Stock to Match
- Virtually Maintenance Free
- Resists Wind, Rain, Snow, and Ice

- Fire Retardant - Class A Rating if Installed Over Proper Substrate
- May Reduce Insurance Premiums
- For New Construction or Re-Roofing
- Air Space between Deck and Panel Increases Insulation Value
- Minimum Installation Time
- Ecologically Superior
- Trouble-Free Beauty
- UL 2218 Class 4 and FL3162-R1



TECHO TILE Details

Installation Guide Available Upon Request



SKU:	SCT400
Gauge:	.032 Aluminum
Panel Width:	43" (40" exposed)
Panel Length:	Cut to customer specifications with a min. of 18-1/2", max. to transportation limitations
Texture:	Glazed (Smooth), Traditional (Embossed)
Finish:	KYNAR 500® PVDF or HYLAR 5000® PVDF
Color:	30 Standard Colors
Accessories:	Same gauge and finish as the panel or as specified
Minimum Pitch:	3:12



ATAS International, Inc.

Allentown, PA ~ Mesa, AZ ~ Maryville, TN

6612 Snowdrift Rd.
Allentown, PA 18106
800.468.1441
www.atas.com/techtile
info@atas.com

© ATAS International, Inc. 2008
Techo Tile is a trademark of ATAS International, Inc.
KYNAR 500® PVDF is a registered trademark of Arkema
HYLAR 5000® PVDF is a registered trademark of Ausimont