

Quantity:

- ____ Total LF (12'-0" pcs)
____ Radius Coping LF (6'-0" pcs)
(Radius: _____, Convex or Concave)
____ Vaulted Coping LF (6'-0" pcs)
(Radius: _____, Convex or Concave)

Standard Accessories:

- ____ Inside Mitered Corner(s) (Angle: _____)
____ Outside Mitered Corner(s) (Angle: _____)
____ End Closure(s) (____ Left, ____ Right)
____ End Term(s) (____ Left, ____ Right)

Custom Accessories:

 (sketches required)

- Inline Transition(s) -Tee(s)
-Transition Miter(s) -Zee(s)
-Ridge Miter(s) -Special Miter(s)
-Valley Miter(s)

***All Components for installing Accessories are included.**

MATERIAL:


THICKNESS:

- ☐ Pre-Finished Aluminum ☐ .040 ☐ .050 ☐ .063
☐ Mill Finished Aluminum ☐ .040 ☐ .050 ☐ .063
☐ Pre-Finished Steel ☐ 24 ga ☐ 22 ga
☐ Stainless Steel ☐ 24 ga ☐ 22 ga

COLOR: _____

ANSI/SPRI ES-1 Tested

Projects Requirement's
Horizontal Design Pressure: _____ psf
Vertical Design Pressure: _____ psf



	C DIMENSION	H DIMENSION	W DIMENSION
-	2-1/2"	4"	4"-10"
-	4"	5-1/2"	4"-10"
-	2-1/2"	4"	10"-24"
-	4"	5-1/2"	10"-24"

Job Name:

Customer:

Job #:

Representative:

Location:

Distributor:

CUSTOMER APPROVAL

Authorized Signature: _____

Approved by: _____

Date: _____