












PCS900 Clip






PCB900 Clip




						TITLE		PC Clip Detail	
						DWG. NO.		DR	DATE
								DMR	10/3/2016
						MATERIAL		APP	DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP				SH. SIZE	SCALE
								B	X:X



ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210



- Eave Trim**
PCA111 - 3:12 to 4:12 Slope
D1=1"
PCA112 - 4:12 to 8:12 Slope
D1=1 1/2"
PCA113 - 8:12 to 12:12 Slope
D1=2"





ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210


TITLE			
PC Seam Curved Eave Detail			
DWG. NO.		DR	DATE
		DMR	5/3/2019
		APP	DATE
MATERIAL		SH. SIZE	SCALE
		B	X:X

1	6/4/2019	Updated Clip Information	AJZ	KRK	
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP	


Note: * denotes color side.



PCA962-Utility Cleat




PCA975-Joggle Cleat



SFC999-Curved Gable Trim

Note: * denotes color side.

						TITLE		PC Curved Gable Detail	
						DWG. NO.		DR	DATE
								KRK	9/18/2014
								APP	DATE
								SH. SIZE	SCALE
								B	X:X




Note: * denotes color side.

PCA980-Counterflashing

SFC999-Curved Sidewall Trim




PCA962-Utility Cleat

TITLE				PC Curved Sidewall Detail			
DWG. NO.		DR		DATE		DATE	
1		6/4/2019		Updated Clip Information		9/19/2014	
REV. NO.		DATE		DESCRIPTION OF REVISION		SCALE	
						X:X	




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE		PC Curved Sidewall Detail	
DWG. NO.		DR	DATE
		KRK	9/19/2014
MATERIAL		APP	DATE
		SH. SIZE	SCALE
		B	X:X



Eave Trim




- PCA111 - 3:12 to 4:12 Slope
D1=1"
- PCA112 - 4:12 to 8:12 Slope
D1=1 1/2"
- PCA113 - 8:12 to 12:12 Slope
D1=2"




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

Note: * denotes color side.


TITLE				PC Eave Detail			
REV. NO.		DATE		DESCRIPTION OF REVISION		BY APP	
1		6/4/2019		Updated Clip Information		AJZ KRK	
DWG. NO.		DR		APP		DATE	
MATERIAL		SH. SIZE		SCALE		X:X	
		B					




Butyl Tape Detail



Z Closure
PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"






Gable Starter Cleat
PCA211 - 1" Seam and 1" Batten
D1=1 5/16" / D2=3 7/16"
PCA214 - 2" Batten
D1=2 5/16" / D2=4 7/16"




Gable Trim Cap
PCA210 - 1" Seam and 1" Batten
D1=3 1/2" / D2=4"
PCA212 - 2" Batten
D1=4 1/2" / D2=5 1/2"

Note: * denotes color side.

						TITLE		PC Ending Gable Detail	
						DWG. NO.		DR	DATE
								KRK	9/16/2014
1	6/4/2019	Updated Clip Information		AJZ	KRK	MATERIAL		APP	DATE
REV. NO.	DATE	DESCRIPTION OF REVISION		BY	APP			SH. SIZE	SCALE
								B	X:X




Butyl Tape Detail




Z Closure


PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"



PCA980-Counterflashing





PCA410-Sidewall Trim

		ATAS INTERNATIONAL, INC Allentown PA 610-395-8445 Mesa AZ 480-558-7210	
TITLE			
PC Ending Sidewall Detail			
DWG. NO.		DR KRK	DATE 9/16/2014
MATERIAL		APP	DATE
		SH. SIZE B	SCALE X:X

Note: * denotes color side.


REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP
1	6/4/2019	Updated Clip Information	AJZ	KRK



Pre Notched Z Closure (Seam)



Note: * denotes color side.

Note: Neoprene Closures are not required if Factory Pre Notched Z Closures are utilized.




Z Closure

PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"




PCA980-Counterflashing






Headwall Trim

PCA500 - 1" Seam and 1" Batten
D1=4" / D2=4"
PCAXXX - 2" Batten
D1=5 3/4" / D2=4"




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE					PC Headwall Detail		
1	6/4/2019	Updated Clip Information	AJZ	KRK	DWG. NO.	DR KRK	DATE 9/16/2014
1	6/29/18	Updated Substrate and Trims	MBP		APP		DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP	MATERIAL	SH. SIZE B	SCALE X:X






Hip Cap
PCA315-3:12 to 6:12 Slope
D1=6"
PCA316-6:12 to 9:12 Slope
D1=7"
PCA317-9:12 to 12:12 Slope
D1=8"




Z Closure
PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1= 2 1/8"

Note: * denotes color side.
Note: Neoprene Closures are not required if Factory Pre Notched Z Closures are utilized.

				 ATAS INTERNATIONAL, INC Allentown PA 610-395-8445 Mesa AZ 480-558-7210			
				TITLE PC Hip Detail			
				DWG. NO.		DR KRK	DATE 9/16/2014
				MATERIAL		APP	DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP	SH. SIZE B	SCALE X:X	
1	6/4/2019	Updated Clip Information	AJZ	KRK			



Pre Notched Z Closure (Seam)




Z Closure

PCA910 - 1" Seam and 1" Batten

D1=1 1/8"


PCA912 - 2" Batten

D1=2 1/8"



Note: * denotes color side.




Note: Neoprene Closures are not required if Factory Pre Notched Z Closures are utilized.




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE			PC Ridge Detail		
DWG. NO.			DR	KRK	DATE
MATERIAL			APP		DATE
SH. SIZE			B	SCALE	X:X

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP
1	6/4/2019	Updated Clip Information	AJZ	KRK




Pre Notched Z Closure (Seam)




Z Closure

PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"




Shed Ridge Starter Cleat

PCA341-3:12 to 6:12 Slope
D1=3 7/16"
PCA348-6:12 to 9:12 Slope
D1=3 11/16"
PCA349-9:12 to 12:12 Slope
D1=3 15/16"



Shed Ridge Cap

PCA342-3:12 to 6:12 Slope
D1=7" / D2=3 9/16"
PCA344-6:12 to 9:12 Slope
D1=8" / D2=3 13/16"
PCA346-9:12 to 12:12 Slope
D1=9" / D2=4 1/16"



ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210


PC Shed Ridge Detail

Note: * denotes color change.




Note: Neoprene Closures are not required if Factory Pre Notched Z Closures are utilized.

REV. NO.		DATE	DESCRIPTION OF REVISION	BY	APP	DWG. NO.		DR	KRK	DATE
2		6/4/2019	Updated Clip Information	AJZ	KRK	DWG. NO.		DR	KRK	DATE
1		7/2/18	Updated Substrate and Titles	MBP		MATERIAL		APP		DATE
								SH. SIZE	B	SCALE
										X:X

PC Batten



PC Seam




PC Seam Clip


PCS900 - 24ga Metallic Coated Steel

PCS903 - 26ga Stainless Steel




PCB900 - PC Batten Clip



PCS114 - Snap-On PC Seam






PCB001 - Snap-On 1" PC Seam




PCB002 - Snap-On 2" PC Batten

					TITLE				
					PC Snap-On Seam Deatil				
					DWG. NO.			DR	DATE
								KRK	5/21/2014
								APP	DATE
					MATERIAL			SH. SIZE	SCALE
REV. NO.	DATE	DESCRIPTION OF REVISION			BY	APP	B	X:X	




Butyl Tape Detail




Gable Trim Cap

PCA210 - 1" Seam and 1" Batten
D1=3 1/2" / D2=4"
PCA212 - 2" Batten
D1=4 1/2" / D2=5 1/2"



Z Closure

PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"




Gable Starter Cleat


PCA211 - 1" Seam and 1" Batten
D1=1 5/16" / D2=3 7/16"
PCA214 - 2" Batten
D1=2 5/16" / D2=4 7/16"

Note: * denotes color side.

				TITLE		PC Starting Gable Detail	
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP	DWG. NO.		DR
					MATERIAL		APP
1	6/4/2019	Updated Clip Information	AJZ	KRK			DATE
						SH. SIZE	SCALE
						B	X:X



ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210







Note: * denotes color side.

Z Closure
PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"


PCA980-Counterflashing

PCA410-Sidewall Trim


								PC Starting Sidewall Detail	
								DWG. NO.	
								DATE 9/17/2014	
1		6/5/2019		Updated Clip Information		AJZ		KRK	
								MATERIAL	
REV. NO.		DATE		DESCRIPTION OF REVISION		BY		APP	
								SH. SIZE B	
								SCALE X:X	



PCA800-Valley Trim



PCA975-Joggle Cleat





ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

PC Valley Detail

REV. NO.		DATE		DESCRIPTION OF REVISION		BY		APP		TITLE		DWG. NO.		DR		DATE		MATERIAL		SH. SIZE		SCALE	
1		6/5/2019		Updated Clip Information		AJZ		KRK		PC Valley Detail		DWG. NO.		DR		DATE		MATERIAL		SH. SIZE		SCALE	
														KRK		9/17/2014				B		X:X	

Note: * denotes color side.




Vented Z Closure
PCA911 - 1" Seam and 1" Batten
D1=1 1/8"
PCA913 - 2" Batten
D1=2 1/8"

Note: * denotes color side.



Note: Neoprene Closures are not required if Factory Pre Notched Vented Z Closures are utilized.

REV. NO.		DATE	DESCRIPTION OF REVISION	BY	APP	TITLE		
2	6/5/2019		Updated Clip Information	AJZ	KRK	PC Vented Headwall Detail		
1	7/2/18		Updated Substrate and Titles	MBP		DWG. NO.		
						MATERIAL		
						SH. SIZE		
						SCALE		




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210


DR KRK DATE 9/17/2014
APP DATE
SH. SIZE B SCALE X:X



Pre Notched Vented Z Closure (Seam)




Vented Z Closure
PCA911 - 1" Seam and 1" Batten
D1=1 1/8"
PCA913 - 2" Batten
D1=2 1/8"







Vented Ridge Cap
PCA322-3:12 to 6:12 Slope
D1=7 1/4"
PCA324-6:12 to 9:12 Slope
D1=8 1/4"
PCA326-9:12 to 12:12 Slope
D1=9 1/4"

Note: * denotes color side.
Note: Neoprene Closures are not required if Factory Pre Notched Vented Z Closures are utilized.




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE				PC Vented Ridge Detail			
DWG. NO.		DR		KRK		DATE	
1		6/5/2019		APP		9/18/2014	
REV. NO.		DATE		SH. SIZE		SCALE	
				B		X:X	



Vented Z Closure
PCA911 - 1" Seam and 1" Batten
D1=1 1/8"
PCA913 - 2" Batten
D1=2 1/8"



Vented Shed Ridge Starter Cleat
PCA361-3:12 to 6:12 Slope
D1=4 13/16"
PCA368-6:12 to 9:12 Slope
D1=5 1/16"
PCA369-9:12 to 12:12 Slope
D1=5 5/16"

Vented Shed Ridge Cap
PCA362-3:12 to 6:12 Slope
D1=8 1/4" / D2=4 15/16"
PCA364-6:12 to 9:12 Slope
D1=9 1/4" / D2=5 3/16"
PCA366-9:12 to 12:12 Slope
D1=10 1/4" / D2=5 7/16"

Note: * denotes color side.

Note: Neoprene Closures are not required if Factory Pre Notched Vented Z Closures are utilized.

TITLE					PC Vented Shed Ridge Detail		
2	6/5/2019	Updated Clip Information	AJZ	KRK	DWG. NO.	DR	DATE
1	7/2/18	Updated Substrate and Titles	MBP			KRK	9/18/2014
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP	MATERIAL	SH. SIZE	SCALE
						B	X:X