


SterraCore Panel

- (1) Reveal H Molding Extrusion installed on Foam Tape. 2" min. gap at 24" O.C. and at transition to vertical moldings.
- (2) Panel Adhesive applied 24" O.C. Horizontally and 16" O.C. Vertically.
- (3) Foam Tape installed Vertically in between Panel Adhesive.

**Note:** Spacing between Panels and Water and Air Resistive Barrier are shown for Clarity.

Reveal H Molding Extrusion

REV. NO.		DATE		DESCRIPTION OF REVISION		BY	APP																		
<table border="1" style="width: 100%;"> <tr> <td colspan="2">DWG. NO.</td> <td>DR</td> <td>KRK</td> <td>DATE</td> <td>8/4/2015</td> </tr> <tr> <td colspan="2">MATERIAL</td> <td>APP</td> <td>JEB</td> <td>DATE</td> <td>8/26/2015</td> </tr> <tr> <td colspan="2">SH. SIZE</td> <td>B</td> <td>SCALE</td> <td colspan="2">X:X</td> </tr> </table>								DWG. NO.		DR	KRK	DATE	8/4/2015	MATERIAL		APP	JEB	DATE	8/26/2015	SH. SIZE		B	SCALE	X:X	
DWG. NO.		DR	KRK	DATE	8/4/2015																				
MATERIAL		APP	JEB	DATE	8/26/2015																				
SH. SIZE		B	SCALE	X:X																					


**ATAS INTERNATIONAL, INC**  
 Allentown PA  
 610-395-8445  
 Mesa AZ  
 480-558-7210

TITLE: SterraCore Reveal Detail - 1 Piece