





1/4" Reveal




1/2" Reveal




3/4" Reveal




					TITLE					Versa-Seam Panel Profile Detail				
						DWG. NO.				DR	KRK	DATE	7/30/2014	
						MATERIAL				APP	DAS	DATE	8/4/16	
REV. NO.	DATE	DESCRIPTION OF REVISION			BY					APP	SH. SIZE	B	SCALE	X:X



Horizontal Application




2 Stage Method of Weather Proofing




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE			
Versa-Seam Panel Installation Detail			
DWG. NO.	DR	KRK	DATE
APP	DATE		
MATERIAL	SH. SIZE	B	SCALE
			X:X


REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP




Step 1




Step 2



Step 3




Step 4



Note: If clip system is utilized, you must fix each panel at one point for each panel run.



2 Stage Method of Weather Proofing





ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE			
Versa-Seam Fastening Detail			
DWG. NO.	DR	KRK	DATE 7/30/2014
MATERIAL	APP		DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY APP
SH. SIZE	B	SCALE	X:X

Horizontal Panel




VSA681-Support Z



Flashing

(Field Fabricated From Color Matched Flat Stock)



VSA661-Base Trim



2 Stage Method of Weather Proofing





ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE				Versa-Seam Base Detail			
REV. NO.		DATE		DESCRIPTION OF REVISION		BY APP	
DWG. NO.		DR		DATE		7/25/2014	
MATERIAL		APP		DATE			
SH. SIZE		B		SCALE		X:X	


Horizontal Panel



Alternate Subgirt Orientation



VSA680-Angle Trim





VSA118-J Channel

2 Stage Method of Weather Proofing



TITLE		Versa-Seam Endwall Detail	
DWG. NO.	DR	KRK	DATE
	APP		DATE
MATERIAL	SH. SIZE	B	SCALE
			X:X

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP

Horizontal Panel



Alternate Subgirt Orientation



VSA601-Inside Corner Post


2 Stage Method of Weather Proofing

		ATAS INTERNATIONAL, INC	
		Allentown PA	
		610-395-8445	
		Mesa AZ	
		480-558-7210	
TITLE			
Versa-Seam Inside Corner Detail			
DWG. NO.		DR	DATE
		KRK	7/29/2014
MATERIAL		APP	DATE
		SH. SIZE	SCALE
		B	X:X



NOTE: Optional 18 GA. Plate for Outside Corner Post is Available

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP

Horizontal Panel





Alternate Subgirt Orientation



VSA602-Outside Corner Post

- Interior Finish
- Versa-Seam Panel
- Exterior Gypsum Board
- Water and Air Resistive Barrier
- Vertical Subgirt
- Metal Wall Stud
- Support Plate
- #10 x 5/8" Wafer Head Fastener
- Water Resistant Insulation
- Outside Corner Post



Support Plate




2 Stage Method of Weather Proofing

	ATAS INTERNATIONAL, INC	
	Allentown PA 610-395-8445 Mesa AZ 480-558-7210	
TITLE		Versa-Seam Outside Corner Detail
DWG. NO.	DR KRK	DATE 7/28/2014
MATERIAL	APP	DATE
REV. NO.	DATE	DESCRIPTION OF REVISION
SH. SIZE	B	SCALE X:X

NOTE: Optional 18 GA. Plate for Outside Corner Post is Available

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP

Horizontal Panel



VSA962-Utility Cleat without Return


2 Stage Method of Weather Proofing



ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE Versa-Seam Top of Wall Detail			
DWG. NO.		DR KRK	DATE 7/28/2014
MATERIAL		APP	DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY APP
SH. SIZE B		SCALE X:X	

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP



Horizontal Application

Versa-Seam Panel

Vertical Subgirt

Backer Plate

Reveal Trim



#10 x 5/8" Wafer Head Fastener

Water Resistant Insulation

Water and Air Resistive Barrier


Interior Finish

Exterior Gypsum Board



VSA672-Reveal Trim

2 Stage Method of Weather Proofing








ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE			
Versa-Seam Reveal Detail			
DWG. NO.	DR	KRK	DATE 7/29/2014
MATERIAL	APP		DATE
SH. SIZE	B	SCALE	X:X


REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP

Horizontal Panel




VSA681-Support Z

2 Stage Method of Weather Proofing



		ATAS INTERNATIONAL, INC Allentown PA 610-395-8445 Mesa AZ 480-558-7210	
TITLE Versa-Seam Head Detail			
DWG. NO.		DR KRK	DATE 7/29/2014
MATERIAL		APP	SCALE X:X
REV. NO.	DATE	DESCRIPTION OF REVISION	BY APP

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP


Horizontal Panel




Alternate Subgirt Orientation (NTS)




- Window Unit
- Interior Finish
- Backer Rod and Sealant
- Angle Trim with Return
- Metal Wall Stud
- Angle (From Flatstock)
- Membrane Strip over Angle Trim with Return
- Water and Air Resistive Barrier
- Exterior Gypsum Board
- Vertical Subgirt
- Angle Trim
- Butyl Tape
- #10 x 5/8" Wafer Head Fastener
- J Channel
- Water Resistant Insulation
- Versa-Seam Panel




Angle



VSA683-Angle Trim with Return



VSA680-Angle Trim



VSA118-J Channel



2 Stage Method of Weather Proofing

TITLE		Versa-Seam Jamb Detail	
DWG. NO.	DR	KRK	DATE 7/29/2014
MATERIAL	APP		DATE
SH. SIZE	B	SCALE	X:X



Note: * denotes color side.

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP


Horizontal Panel



VSA962-Utility Cleat without Return




VSA670-Window Sill Trim



VSA270-J Closure

2 Stage Method of Weather Proofing

		ATAS INTERNATIONAL, INC Allentown PA 610-395-8445 Mesa AZ 480-558-7210	
TITLE Versa-Seam Window Sill Detail			
DWG. NO.		DR KRK	DATE 7/30/2014
MATERIAL		APP	DATE
		SH. SIZE B	SCALE X:X

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP
01	10/29/2018	Corrected SKU for VSA270-J Closure	KRK	