



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL2905-R8										
Application Type	Revision										
Code Version	2023										
Application Status	Approved										
Comments											
Archived	<input type="checkbox"/>										
Product Manufacturer	ATAS International, Inc.										
Address/Phone/Email	6612 Snowdrift Road Allentown, PA 18106 (610) 395-8445 Ext 223 jbush@atas.com										
Authorized Signature	james bush jbush@atas.com										
Technical Representative	James E. Bush										
Address/Phone/Email	ATAS International, Inc. 6612 Snowdrift Road Allentown, PA 18106 jbush@atas.com										
Quality Assurance Representative	James Bush										
Address/Phone/Email	6612 Snowdrift Road Allentown, PA 18106 jbush@atas.com										
Category	Roofing										
Subcategory	Metal Roofing										
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received										
Florida Engineer or Architect Name who developed the Evaluation Report	Russel N. Emery										
Florida License	PE-71060										
Quality Assurance Entity	Intertek Testing Services NA, Inc. - QA Entity										
Quality Assurance Contract Expiration Date	12/31/2026										
Validated By	Steven M. Urich, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received										
Certificate of Independence	FL2905_R8_COI_Certificate of Independence - Advanta 2905.pdf FL2905_R8_COI_Certificate of Independence - CastleTop 2905.pdf										
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>ADM1</td> <td>2020</td> </tr> <tr> <td>AWC NDS</td> <td>2018</td> </tr> <tr> <td>S100</td> <td>2016</td> </tr> <tr> <td>UL1897</td> <td>2015</td> </tr> </tbody> </table>	Standard	Year	ADM1	2020	AWC NDS	2018	S100	2016	UL1897	2015
Standard	Year										
ADM1	2020										
AWC NDS	2018										
S100	2016										
UL1897	2015										
Equivalence of Product Standards Certified By	Florida Licensed Professional Engineer or Architect FL2905_R8_Equiv_ATAS FBC Product Approval Document - Advanta.pdf FL2905_R8_Equiv_ATAS FBC Product Approval Document - CastleTop.pdf										
Sections from the Code											
Product Approval Method	Method 1 Option D										
Date Submitted	01/25/2024										
Date Validated	02/11/2024										
Date Pending FBC Approval	02/14/2024										
Date Approved	04/16/2024										

Summary of Products

FL #	Model, Number or Name	Description
2905.1	ADVANTA Shingle	Simulated dimensional shingle HAS300
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +n/a/-45 Other: Steep slope non structural metal roof shingle. To be used on slopes 3:12 and greater. Not for use in HVHZ. See report for allowable design pressure based upon materials.		Installation Instructions FL2905_R8_II_(FMTECS-04)_HCT Advanta Shingles Florida Building Code 01_11-14-23.pdf Verified By: Russel N. Emery P.E.71060 Created by Independent Third Party: No Evaluation Reports FL2905_R8_AE_ATAS FBC Product Approval Document - Advanta.pdf Created by Independent Third Party: Yes
2905.2	Castletop	Diamond shaped metal shingle HCT160
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Steep slope non-structural metal roofing. To be used on slopes of 3:12 and greater. Not for use in HVHZ. See report for allowable design pressures based upon materials.		Installation Instructions FL2905_R8_II_(FMTECS-03)_HCT Castle Top Florida Building Code 01_11-14-23.pdf Verified By: Russel N. Emery PE-71060 Created by Independent Third Party: No Evaluation Reports FL2905_R8_AE_ATAS FBC Product Approval Document - Castletop.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer: [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

