



Product Approval
USER: Public User

[Product Approval Menu](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL16083-R4						
Application Type	Revision						
Code Version	2023						
Application Status	Approved						
Comments							
Archived	<input type="checkbox"/>						
Product Manufacturer	ATAS International, Inc.						
Address/Phone/Email	6612 Snowdrift Road Allentown, PA 18106 (610) 395-8445 Ext 223 jbush@atas.com						
Authorized Signature	james bush jbush@atas.com						
Technical Representative	James E. Bush						
Address/Phone/Email	ATAS International, Inc. 6612 Snowdrift Road Allentown, PA 18106 jbush@atas.com						
Quality Assurance Representative	James Bush						
Address/Phone/Email	6612 Snowdrift Road Allentown, PA 18106 jbush@atas.com						
Category	Panel Walls						
Subcategory	Soffits						
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received						
Florida Engineer or Architect Name who developed the Evaluation Report	Russel N. Emery						
Florida License	PE-71060						
Quality Assurance Entity	Intertek Testing Services NA, Inc. - QA Entity						
Quality Assurance Contract Expiration Date	12/31/2026						
Validated By	Steven M. Urich, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received						
Certificate of Independence	FL16083_R4_COI Certificate of Independence - Opaline 16083.pdf FL16083_R4_COI Certificate of Independence - Wind-Lok 16083.pdf						
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><u>Standard</u></th> <th><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>AAMA 1402</td> <td>2009</td> </tr> <tr> <td>ASTM E330</td> <td>2014</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	AAMA 1402	2009	ASTM E330	2014
<u>Standard</u>	<u>Year</u>						
AAMA 1402	2009						
ASTM E330	2014						
Equivalence of Product Standards Certified By							
Sections from the Code							
Product Approval Method	Method 1 Option D						
Date Submitted	02/19/2024						
Date Validated	02/19/2024						
Date Pending FBC Approval	02/22/2024						
Date Approved	04/16/2024						

Summary of Products

FL #	Model, Number or Name	Description
16083.1	OPALINE and MPS120	OPWO45, OPWO65, OPFO40, OPFO60, OPMO45, MPS120/MPV120
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +107/-127 Other: For all Opaline series panels negative pressure allowed of 134psf		Installation Instructions FL16083_R4_II (FMTECS-08) MP Multi-Purpose Florida Building Code_01_12-11-23 (1).pdf FL16083_R4_II (FMTECS-09) OP Opaline Florida Building Code_01_12-11-23 (1).pdf Verified By: Christopher S. Bleschmidt P.E. 61272 Created by Independent Third Party: Yes Evaluation Reports FL16083_R4_AE_ATAS FBC Product Approval Document - Opaline.pdf FL16083_R4_AE_ATAS FBC Product Approval Document - Wind-Lok.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

